


Lyra by D&R Electronica B.V. - Microsoft Internet Explorer

Bestand Bewerken Beeld Eenvoerelen Extra Help

Vorige Volgende Stoppen Vernieuwen Startpagina Zoeken Favorieten Media Geschiedenis E-mail Afdrukken Bewerken Discussie

Adres <http://192.168.0.12/index.html> Ga naar Koppelingen Norton AntiVirus



Welcome To The Lyra

[System Information](#)

[Global Settings](#)

[Input Settings](#)

[Output Settings](#)

[Security Settings](#)

[Find your local distributor for support](#)

D&R Electronica Weesp B.V.
Rinkade 15b
1382 GS, Weesp
The Netherlands
Phone: +31 (0)294 - 418 014
Fax: +31 (0)294 - 416 937
email: info@d-r.nl
website: www.d-r.nl

Internet



Cobranet Output Settings of the Lyra

OUTPUT:	LABEL:	SIGNAL FROM:	ADVANCED SETTINGS:
Cobra1/2:	<input type="text" value="Cob 1/2"/>	Prog @ -9dBFs	Advanced Output Settings
Cobra3/4:	<input type="text" value="Cob 3/4"/>	N.C. (N.C.)	Advanced Output Settings
Cobra5/6:	<input type="text" value="Cob 5/6"/>	N.C. (N.C.)	Advanced Output Settings
Cobra7/8:	<input type="text" value="Cob 7/8"/>	N.C. (N.C.)	Advanced Output Settings
Cobra9/10:	<input type="text" value="Cob 9/10"/>	N.C. (N.C.)	Advanced Output Settings
Cobra11/12:	<input type="text" value="Cob11/12"/>	N.C. (N.C.)	Advanced Output Settings
Cobra13/14:	<input type="text" value="Cob13/14"/>	N.C. (N.C.)	Advanced Output Settings
Cobra15/16:	<input type="text" value="Cob15/16"/>	N.C. (N.C.)	Advanced Output Settings
Cobra17/18:	<input type="text" value="Cob17/18"/>	N.C. (N.C.)	Advanced Output Settings
Cobra19/20:	<input type="text" value="Cob19/20"/>	N.C. (N.C.)	Advanced Output Settings
Cobra21/22:	<input type="text" value="Cob21/22"/>	N.C. (N.C.)	Advanced Output Settings
Cobra23/24:	<input type="text" value="Cob23/24"/>	N.C. (N.C.)	Advanced Output Settings
Cobra25/26:	<input type="text" value="Cob25/26"/>	N.C. (N.C.)	Advanced Output Settings
Cobra27/28:	<input type="text" value="Cob27/28"/>	N.C. (N.C.)	Advanced Output Settings
Cobra29/30:	<input type="text" value="Cob29/30"/>	N.C. (N.C.)	Advanced Output Settings
Cobra31/32:	<input type="text" value="Cob31/32"/>	N.C. (N.C.)	Advanced Output Settings


[Lyra Home](#)

Lyra by D&R Electronica B.V. - Microsoft Internet Explorer

Bestand Bewerken Beeld Favorieten Extra Help

Vorige Volgende Stoppen Vernieuwen Startpagina Zoeken Favorieten Media Geschiedenis E-mail Afdrukken Bewerken Discussie

Adres http://192.168.0.12/global_gpis.html?GPIN=01 Ga naar Koppelingen Norton AntiVirus



General Purpose Input 1 (GPI1):

Type:

Latching:	<input checked="" type="checkbox"/>
Momentary:	<input type="checkbox"/>

Action:

MIC1 Cough	<input type="checkbox"/>
MIC2 Cough	<input type="checkbox"/>
MIC3 Cough	<input type="checkbox"/>
MIC4 Cough	<input type="checkbox"/>
Redlight 1	<input type="checkbox"/>
Redlight 2	<input type="checkbox"/>
Talkback	<input type="checkbox"/>
CRM Dim	<input type="checkbox"/>

[Back to the Global Settings](#)
[Lyra Home](#)


Gereed Internet

Lyra by D&R Electronica B.V. - Microsoft Internet Explorer

Bestand Bewerken Beeld Favorieten Extra Help

Vorige Volgende Stoppen Vernieuwen Startpagina Zoeken Favorieten Media Geschiedenis E-mail Afdrukken Bewerken Discussie

Adres http://192.168.0.12/global_gpos.html?GPOnr=01 Ga naar Koppelingen Norton AntiVirus



General Purpose Output 1 (GPO1):

Type:

Contineous:	<input checked="" type="checkbox"/>
On Pulse:	<input type="checkbox"/>
Off Pulse:	<input type="checkbox"/>

Action:

MIC1 On	<input type="checkbox"/>
MIC2 On	<input type="checkbox"/>
MIC3 On	<input type="checkbox"/>
MIC4 On	<input type="checkbox"/>
Redlight 1	<input type="checkbox"/>
Redlight 2	<input type="checkbox"/>

[Back to the Global Settings](#)
[Lyra Home](#)


Internet

Lyra by D&R Electronica B.V. - Microsoft Internet Explorer

Bestand Bewerken Beeld Eenvoereten Extra Help

Vorige Volgende Stoppen Vernieuwen Startpagina Zoeken Favorieten Media Geschiedenis E-mail Afdrukken Bewerken Discussie

Adres http://192.168.0.12/global_settings.html Ga naar Koppelingen Norton AntiVirus



Global Settings of the Lyra

Global Settings

Clock Source:	48kHz Coبرانet
Digital Nominal Level:	0 dB (intern) = -9 dBFs (Digital out)
Auto CUE Reset:	<input checked="" type="checkbox"/>
Extern 1:	MIC1 (MIC1)
Extern 2:	MIC1 (MIC1)

GPI1:	Advanced Settings
GPI2:	Advanced Settings
GPI3:	Advanced Settings
GPI4:	Advanced Settings
GPI5:	Advanced Settings
GPI6:	Advanced Settings

GPO1:	Advanced Settings
GPO2:	Advanced Settings
GPO3:	Advanced Settings
GPO4:	Advanced Settings
GPO5:	Advanced Settings
GPO6:	Advanced Settings

[Lyra Home](#)

Gereed Internet



Input settings of the Lyra

INPUT:	LABEL:	SOURCE SELECTION:	ADVANCED SETTINGS:
MIC1:	MIC1	<input checked="" type="checkbox"/> In Input Pool	Advanced Input Settings
MIC2:	MIC2	<input checked="" type="checkbox"/> In Input Pool	Advanced Input Settings
MIC3:	MIC3	<input checked="" type="checkbox"/> In Input Pool	Advanced Input Settings
MIC4:	MIC4	<input checked="" type="checkbox"/> In Input Pool	Advanced Input Settings
Analog 1:	Analog 1	<input checked="" type="checkbox"/> In Input Pool	Advanced Input Settings
Analog 2:	Analog 2	<input checked="" type="checkbox"/> In Input Pool	Advanced Input Settings
Analog 3:	Analog 3	<input checked="" type="checkbox"/> In Input Pool	Advanced Input Settings
Analog 4:	Analog 4	<input checked="" type="checkbox"/> In Input Pool	Advanced Input Settings
Mono Analog 5:	Analog 5	<input checked="" type="checkbox"/> In Input Pool	Advanced Input Settings
Mono Analog 6:	Analog 6	<input checked="" type="checkbox"/> In Input Pool	Advanced Input Settings
Analog 7:	Analog 7	<input type="checkbox"/> In Input Pool	Advanced Input Settings
Digital 1:	Digital1	<input checked="" type="checkbox"/> In Input Pool	Advanced Input Settings
Digital 2:	Digital2	<input checked="" type="checkbox"/> In Input Pool	Advanced Input Settings
Digital 3:	Digital3	<input checked="" type="checkbox"/> In Input Pool	Advanced Input Settings
Digital 4:	Digital4	<input checked="" type="checkbox"/> In Input Pool	Advanced Input Settings
Digital 5:	Digital5	<input checked="" type="checkbox"/> In Input Pool	Advanced Input Settings
Digital 6:	Digital6	<input checked="" type="checkbox"/> In Input Pool	Advanced Input Settings
Digital 7:	Digital7	<input checked="" type="checkbox"/> In Input Pool	Advanced Input Settings

Update

[Cobranet Input Settings](#)

[Lyra Home](#)



Output Settings of the Lyra

OUTPUT:	LABEL:	SIGNAL FROM:	ADVANCED SETTINGS:
Analog 7:	<input type="text" value="Analog 7"/>	Prog @ -20dBfs	Advanced Output Settings
Digital 1:	<input type="text" value="Digital1"/>	Sub @ -9dBfs	Advanced Output Settings
Digital 2:	<input type="text" value="Digital2"/>	N.C. (N.C.)	Advanced Output Settings
Digital 3:	<input type="text" value="Digital3"/>	N.C. (N.C.)	Advanced Output Settings
Digital 4:	<input type="text" value="Digital4"/>	N.C. (N.C.)	Advanced Output Settings
Digital 5:	<input type="text" value="Digital5"/>	N.C. (N.C.)	Advanced Output Settings
Digital 6:	<input type="text" value="Digital6"/>	Cob21 /22(Cob21/22)	Advanced Output Settings
Digital 7:	<input type="text" value="Digital7"/>	Analog 4(Analog 4)	Advanced Output Settings

[Cobranet Output Settings](#)

[Lyra Home](#)



Settings for input MIC1 (MIC1) of the Lyra

Input Correction:

Phase:	<input type="checkbox"/>
Swap L/R:	<input type="checkbox"/>
L to LR:	<input type="checkbox"/>
R to LR:	<input type="checkbox"/>
Mono:	<input type="checkbox"/>
Level Trim:	<input type="text" value="0"/> dB (-20 to +20 dB)

Module Function:

EQ Active:	<input checked="" type="checkbox"/>
Dynamics Active:	<input checked="" type="checkbox"/>

REMOTE:

Type:	<input type="checkbox"/> Contineous	<input type="checkbox"/> Pulse
Action:	<input type="checkbox"/> Fader AND On Switch	

ON SWITCH:

Function:	<input type="checkbox"/> Audio On/Off	<input type="checkbox"/> Trigger On Remote	<input type="checkbox"/> Trigger Off Remote
Action:	<input type="checkbox"/> Latching	<input type="checkbox"/> Momentary	

CUE SWITCH:

Function:	<input type="checkbox"/> Audio	<input type="checkbox"/> Trigger On Remote	<input type="checkbox"/> Trigger Off Remote
Action:	<input type="checkbox"/> Latching	<input type="checkbox"/> Momentary	

FADER:

Function:	<input type="checkbox"/> Trigger On Remote	<input type="checkbox"/> Trigger Off Remote
-----------	--	---

Input Active Generates:

Redlight 1:	<input type="checkbox"/>
Redlight 2:	<input type="checkbox"/>
CRM Mute:	<input type="checkbox"/>
Studio Mute:	<input type="checkbox"/>
Local CUE Reset:	<input type="checkbox"/>
Total CUE Reset:	<input type="checkbox"/>

Update


[Back to the Input Settings](#)
[Lyra Home](#)

Lyra by D&R Electronica B.V. - Microsoft Internet Explorer

Bestand Bewerken Beeld Eenvoerelen Extra Help

Vorige Volgende Stoppen Vernieuwen Startpagina Zoeken Favorieten Media Geschiedenis E-mail Afdrukken Bewerken Discussie

Adres http://192.168.0.12/settings_input.html?InputNr=01 Ga naar Koppelingen Norton AntiVirus



Settings for input MIC1 (MIC1) of the Lyra

Input Correction:

Phase:	<input type="checkbox"/>
Swap L/R:	<input type="checkbox"/>
L to LR:	<input type="checkbox"/>
R to LR:	<input type="checkbox"/>
Mono:	<input type="checkbox"/>
Level Trim:	<input type="text" value="0"/> dB (-20 to +20 dB)

Module Function:

EQ Active:	<input checked="" type="checkbox"/>
Dynamics Active:	<input checked="" type="checkbox"/>

REMOTE:

Type:	<input type="checkbox"/> Contineous	<input type="checkbox"/> Pulse
Action:	<input type="checkbox"/> Fader AND On Switch	

ON SWITCH:

Function:	<input type="checkbox"/> Audio On/Off	<input type="checkbox"/> Trigger On Remote	<input type="checkbox"/> Trigger Off Remote
Action:	<input type="checkbox"/> Latching	<input type="checkbox"/> Momentary	

CUE SWITCH:

Function:	<input type="checkbox"/> Audio	<input type="checkbox"/> Trigger On Remote	<input type="checkbox"/> Trigger Off Remote
Action:	<input type="checkbox"/> Latching	<input type="checkbox"/> Momentary	

FADER:

Function:	<input type="checkbox"/> Trigger On Remote	<input type="checkbox"/> Trigger Off Remote
-----------	--	---

Gereed Internet

Lyra by D&R Electronica B.V. - Microsoft Internet Explorer

Bestand Bewerken Beeld Eenvoerelen Extra Help

Vorige Volgende Stoppen Vernieuwen Startpagina Zoeken Favorieten Media Geschiedenis E-mail Afdrukken Bewerken Discussie

Adres http://192.168.0.12/settings_input.html?inputNr=01 Ga naar Koppelingen Norton AntiVirus

Level Trim: 0 dB (-20 to +20 dB)

Module Function:

EQ Active:	<input checked="" type="checkbox"/>
Dynamics Active:	<input checked="" type="checkbox"/>

REMOTE:

Type:	<input type="checkbox"/> Contineous	<input type="checkbox"/> Pulse
Action:	<input type="checkbox"/> Fader AND On Switch	

ON SWITCH:

Function:	<input type="checkbox"/> Audio On/Off	<input type="checkbox"/> Trigger On Remote	<input type="checkbox"/> Trigger Off Remote
Action:	<input type="checkbox"/> Latching	<input type="checkbox"/> Momentary	

CUE SWITCH:

Function:	<input type="checkbox"/> Audio	<input type="checkbox"/> Trigger On Remote	<input type="checkbox"/> Trigger Off Remote
Action:	<input type="checkbox"/> Latching	<input type="checkbox"/> Momentary	

FADER:

Function:	<input type="checkbox"/> Trigger On Remote	<input type="checkbox"/> Trigger Off Remote
-----------	--	---

Input Active Generates:

Redlight 1:	<input type="checkbox"/>
Redlight 2:	<input type="checkbox"/>
CRM Mute:	<input type="checkbox"/>
Studio Mute:	<input type="checkbox"/>
Local CUE Reset:	<input type="checkbox"/>
Total CUE Reset:	<input type="checkbox"/>

Update

[Back to the Input Settings](#)
[Lyra Home](#)


Internet

Lyra by D&R Electronica B.V. - Microsoft Internet Explorer

Bestand Bewerken Beeld Eenvoerelen Extra Help

Vorige Volgende Stoppen Vernieuwen Startpagina Zoeken Favorieten Media Geschiedenis E-mail Afdrukken Bewerken Discussie

Adres http://192.168.0.12/settings_output.html?OutputNr=01 Ga naar Koppelingen Norton AntiVirus



Settings for output Analog 7 (Analog 7) of the Lyra

Source Selection:

[Back to the Output Settings](#)
[Lyra Home](#)

Gereed Internet

System Information of the Lyra

System Up Time:	3 Days - 00:55:43		
IP Address:	<input type="text" value="192.168.0.12"/>	<input type="checkbox"/> DHCP	
Subnet Mask:	<input type="text" value="255.255.255.0"/>		
Gateway:	<input type="text" value="192.168.0.1"/>		
Local Date - Time:	2003/11/17 - 10:27:27	Time Zone: <input type="text" value="UTC+1:00"/>	
Last time synced:	2003/11/17 - 10:05:55	NTP Server: <input type="text" value="193.67.79.202"/>	Sync every <input type="text" value="60"/> Minute(s)
Internal Temperature:	29		
HTTP Connection:	Active for 00:00:00		
FTP Control Connection:	Unused	<input type="button" value="Disconnect"/>	
FTP Data Connection:	Unused	<input type="button" value="Disconnect"/>	
TCP Connection (Port 20000):	Unused	<input type="button" value="Disconnect"/>	Maximum Update Speed: <input type="text" value="1 Hz - 0.5Byte/S"/> (The real update speed depends on the 'network delay')
Connection Information:	Connection LOG		


[Lyra Home](#)

Lyra by D&R Electronica B.V. - Microsoft Internet Explorer

Bestand Bewerken Beeld Eenvoerelen Extra Help

Vorige Volgende Stoppen Vernieuwen Startpagina Zoeken Favorieten Media Geschiedenis E-mail Afdrukken Bewerken Discussie

Adres http://192.168.0.12/sys_information.html Ga naar Koppelingen Norton AntiVirus



System Information of the Lyra

System Up Time:	3 Days - 00:55:43		
IP Address:	<input type="text" value="192.168.0.12"/>	<input type="checkbox"/> DHCP	
Subnet Mask:	<input type="text" value="255.255.255.0"/>		
Gateway:	<input type="text" value="192.168.0.1"/>		
Local Date - Time:	2003/11/17 - 10:27:27	Time Zone: <input type="text" value="UTC+1:00"/>	
Last time synced:	2003/11/17 - 10:05:55	NTP Server: <input type="text" value="193.67.79.202"/>	Sync every <input type="text" value="60"/> Minute(s)
Internal Temperature:	29		
HTTP Connection:	Active for 00:00:00		
FTP Control Connection:	Unused	<input type="button" value="Disconnect"/>	
FTP Data Connection:	Unused	<input type="button" value="Disconnect"/>	
TCP Connection (Port 20000):	Unused	<input type="button" value="Disconnect"/>	Maximum Update Speed: <input type="text" value="1 Hz - 0.5Byte/S"/> (The real update speed depends on the 'network delay')
Connection Information:	Connection LOG		

Internet

Lyra by D&R Electronica B.V. - Microsoft Internet Explorer

Bestand Bewerken Beeld Eenvoereten Extra Help

Vorige Volgende Stoppen Vernieuwen Startpagina Zoeken Favorieten Media Geschiedenis E-mail Afdrukken Bewerken Discussie

Adres http://192.168.0.12/sys_information.html Ga naar Koppelingen Norton AntiVirus

System Information of the Lyra

System Up Time:	3 Days - 02:26:45		
IP Address:	<input type="text" value="192.168.0.12"/>	<input type="checkbox"/> DHCP	
Subnet Mask:	<input type="text" value="255.255.255.0"/>		
Gateway:	<input type="text" value="192.168.0.1"/>		
Local Date - Time:	2003/11/17 - 11:58:30	Time Zone: <input type="text" value="UTC+1:00"/>	
Last time synced:	2003/11/17 - 11:06:03	NTP Server: <input type="text" value="193.67.79.202"/>	Sync every <input type="text" value="60"/> Minute(s)
Internal Temperature:	29		
HTTP Connection:	Active for 00:00:00		
FTP Control Connection:	Unused	<input type="button" value="Disconnect"/>	
FTP Data Connection:	Unused	<input type="button" value="Disconnect"/>	
TCP Connection (Port 20000):	Unused	<input type="button" value="Disconnect"/>	Maximum Update Speed: <input type="text" value="1 Hz - 0.5Byte/S"/> (The real update speed depends on the 'network delay')
Connection Information:	Connection LOG		

[Lyra Home](#)


Gereed Internet

Lyra by D&R Electronica B.V. - Microsoft Internet Explorer

Bestand Bewerken Beeld Favorieten Extra Help

Vorige Volgende Stoppen Vernieuwen Startpagina Zoeken Favorieten Media Geschiedenis Email Afdrukken Bewerken Discussie

Adres http://192.168.0.12/system_log.html Ga naar Koppelingen Norton AntiVirus



Connection LOG

Item	Last Connection Time	Connected IP	Connected @ Port
1	2003/11/17 - 11:16:37 --> Still Active	192.168.0.2	80
2	2003/11/14 - 15:02:24 --> 2003/11/14 - 15:02:24	64.144.103.138	80
3	2003/11/14 - 15:45:17 --> 2003/11/14 - 15:45:25	62.242.53.227	20000
4	2003/11/14 - 15:48:08 --> 2003/11/14 - 15:48:08	62.242.53.227	21
5	2003/11/14 - 16:30:15 --> 2003/11/14 - 16:30:15	10.100.100.99	21
6	2003/11/14 - 16:51:54 --> 2003/11/14 - 16:51:56	207.213.208.147	80
7	2003/11/14 - 18:33:13 --> 2003/11/14 - 18:33:13	64.144.215.218	80
8	2003/11/14 - 22:44:07 --> 2003/11/14 - 22:44:08	200.171.41.198	80
9	2003/11/15 - 00:37:19 --> 2003/11/15 - 00:37:20	213.169.247.76	80
10	2003/11/15 - 03:07:25 --> 2003/11/15 - 03:07:25	62.23.217.130	80
11	2003/11/15 - 04:33:03 --> 2003/11/15 - 04:33:03	64.144.252.42	80
12	2003/11/16 - 11:59:26 --> 2003/11/16 - 12:02:01	212.187.116.147	20000
13	2003/11/16 - 11:59:01 --> 2003/11/16 - 11:59:02	212.187.116.147	80
14	2003/11/16 - 16:39:01 --> 2003/11/16 - 16:39:03	213.169.247.78	80
15	2003/11/16 - 17:45:11 --> 2003/11/16 - 17:45:12	221.161.82.209	21
16	2003/11/16 - 23:10:29 --> 2003/11/16 - 23:12:39	217.211.1.211	20000

[Back to the System Information](#)
[Lyra Home](#)

Internet